Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	1089337	(configur\$5 preference profil\$4 setting set\$up setup (set adj up) custom\$5) same (service application mailbox e\$mail email mail \$box)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 09:15
L8	225826	I7 same (web internet network remote)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 09:16
L9	3565	I8 and (activex)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/08/13 09:16
L10	1565	19 and (xml xml-soap soap)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 09:17
L11	1196	I10 and (@PD<"20030808" @AD<"20030808" @RLAD<"20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 10:13
L12	1183	I11 and (import importing imported convert\$4 generat\$4 translat\$4 export\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 09:18
L13	568	l12 and ("709".clas. "455".clas. "717".clas. "707".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 10:12

L14 _	12851	(stor\$4 retriev\$4 generat\$4) with (profile setting) with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/08/13 10:12
L15	2785	l14 same (password address account)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/08/13 10:12
L16	1221	l15 and ("709".clas. "455".clas. "717".clas. "707".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 10:12
L17	887	I16 and (@PD<"20030808" @AD<"20030808" @RLAD<"20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 10:13
L18	4604	(e\$mail email (electronic adj mail) mail\$box mailbox) with agent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 11:02
L19	628	(e\$mail email (electronic adj mail) mail\$box mailbox) near agent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:10
L20	5094	(xml soap (xml\$soap)) same (email e\$mail mail mail\$box)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 12:11

L22	144	config\$6 with activex	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 13:53
L23	228	config\$8 with activex	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 13:53
L24	2	("20020143949").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/13 14:12
L25	0	soap near webmail	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:12
L26	0	soap with webmail	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON ,	2007/08/13 14:12
L27	. 15	soap near mail	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:13
L28	52	soap near email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2007/08/13 14:27

L29	1544	soap with web same (messag\$4 email e\$mail mail mailbox)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:28
L30	1203	soap with web with(messag\$4 email e\$mail mail mailbox)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:28
L31	1203	soap with web with (messag\$4 email e\$mail mail mailbox)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:28
L32	420	131 and "709".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:45
L33	0	impliment with soap with service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:45
L34	148	implement with soap with service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:46
S1	10	(("5968117") or ("6446114") or ("20020112007") or ("20020174194") or ("6741855") or ("20030038839") or ("20030195934") or ("20040030986") or ("20010029524") or ("6314516")). PN.	US-PGPUB; USPAT	OR	OFF	2007/08/10 11:22

S2	4738	(709/206).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:30
S3	2802	(709/220).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:30
S4	2067	(709/228).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:31
S5	204	suryanarayana.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 08:32
S6	21	gorty.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 08:32
S7	14	S5 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 11:09
S8	122	teamon.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/08/10 09:40

S9	146258	e\$mail email (electronic adj mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 14:44
S11	5190800	account configuration setup set\$up information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 11:30
S20	3753438	import importing imported convert\$4 transform\$4 translat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 11:29
S21	7070	S9 same S11 same S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 11:21
S22	2243	S9 with S11 with S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 11:21
S23	505	S22 and "709".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 11:23
S24	260	S22 and (S2 S3 S4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 11:23

			1	1		T
S25	7133141	import importing imported convert\$4 generat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 09:17
S26	2991889	account configuration setup set\$up pst	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 12:14
S27	13146	(S25 with S26) and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 11:33
S28	1806	(S25 with S26) same S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 11:33
S29	282	S28 and (S2 S3 S4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 11:34
S30	24125	(import importing imported convert\$4) near3 (configuration setup set\$up pst setting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 12:21
S31	155	((import importing imported convert\$4) near3 (configuration setup set\$up pst setting)) same (account)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 12:22

S32	53	((import importing imported convert\$4) near3 (configuration setup set\$up pst setting)) same (provider)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 12:22
S33	159223	e\$mail email (electronic adj mail) messgae mail\$box mailbox (mail adj box)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 14:45
S34	6222477	account configur\$5 setup set\$up information profil\$3 template custom\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 14:47
S35	159223	e\$mail email (electronic adj mail) messgae mail\$box mailbox (mail adj box)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 15:09
S36	3838251	import importing imported convert\$4 transform\$ translat\$4 export\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 14:49
S37	71374	S34 and S35 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 14:50
S38	15545	S37 and (activex xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 14:51

	•					
S39	6896	S38 and ("709".clas. "717".clas. "707".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 14:53
S40	4218	S38 and ((web network) adj service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/08/10 14:53
S41	2055	S40 and ("709".clas. "717".clas. "707".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 14:54
S42	87	S40 and (object adj module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 15:02
S43	48	import with outlook	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 15:08
S44	178	import same (e\$mail email (electronic adj mail) mail) same client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/08/10 15:10
S46	43	import with (e\$mail email (electronic adj mail) mail) with client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 15:10

			T			
S47	30	S46 not S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 09:50
S48	3	import adj (e\$mail email (electronic adj mail) mail\$box mailbox) adj (configur\$5 data profil\$4 setting set\$up setup account)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 12:06
S49		import adj2 (e\$mail email (electronic adj mail) mail\$box mailbox) adj2 (configur\$5 data profil\$4 setting set\$up setup account)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 10:56
S50	2	S49 not S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 09:59
S51	6	import adj2 (e\$mail email (electronic adj mail) mail\$box mailbox) adj2 (configur\$5 data profil\$4 setting set\$up setup account file information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 10:03
S52	1	S51 not (S48 S49)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 10:02
S53	45	import near (e\$mail email (electronic adj mail) mail\$box mailbox)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 10:03

CE4	20	CE2 not (C49 C40 CE1)	LIC DCDLID.	OR	ON	2007/08/11 10:47
S54	39	S53 not (S48 S49 S51)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OK	ON	2007/00/11 10.47
S55	1053	((many multiple plurality) adj2 (e\$mail email (electronic adj mail) mail\$box mailbox)) same (account profile service provider)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 10:49
S56	681	((many multiple plurality) adj2 (e\$mail email (electronic adj mail) mail\$box mailbox)) with (account profile service provider)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 10:49
S57	507	((many multiple plurality) adj2 (e\$mail email (electronic adj mail) mail\$box mailbox)) with (account profile provider)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 11:03
S58	388	((many multiple plurality) adj2 (e\$mail email (electronic adj mail) mail\$box mailbox)) with (account)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 10:55
S59		(import export) same (outlook eurdora ((e\$mail email "electronic mail" mail) adj (client))) same (pop smtp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 11:03
S60	383	(import export) same (pop smtp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 10:58

Page 11

S61	70	(import export) same (pop3 smtp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 10:58
S62	1644	(import export) same (outlook eurdora ((e\$mail email "electronic mail" mail)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/08/11 11:04
S63	112	import same (profile file data information) same (web adj service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 11:49
S64	237	"distributed object model"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/08/11 11:51
S66	7	S64 same xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 11:50
S67	14	"distributed object model" same (configur\$5 setting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 11:53
S68	9	"distributed object module"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/08/11 11:53

S69	1456	(e\$mail email (electronic adj mail) mail\$box mailbox) same ("web service")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 12:07
S70	841	S69 and ("709".clas. "370".clas. "717".clas. "707".clas. "455".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 12:21
S71	392	S70 and (@PD<"20030808" @AD<"20030808" @RLAD<"20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/08/11 12:20
S72	2100	(configur\$5 setting) with xml with file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 12:21
S73	454	(configur\$5 setting) with xml with file with format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/11 12:21
S74	253	S73 and ("709".clas. "370".clas. "717".clas. "707".clas. "455".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/08/11 12:21
S75		S74 and "web service"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 09:12